

II. CLAIM AMENDMENTS

There are no claim amendments in this response. The claims are repeated here for convenience.

1. (Previously Presented) A method for displaying to the user of a mobile station an effect stimulating visual, auditory or tactile sense, the method comprising:

a) establishing a connection between a first mobile station and a second mobile station,

b) transferring speech data or message data representing a first effect for stimulating an auditory or visual sense via the established connection as a ringing command;

c) transferring or activating data compiled from vibration effects memory, flash patterns memory or graphic objects memory for producing a second effect for stimulating a visual or tactile sense by the same established connection using a signaling message associated therewith,

d) producing the first effect for stimulating an auditory or visual sense in the second mobile station, while maintaining said connection, using a first means of expression comprising at least one element selected from the group of a loudspeaker and a display, and

e) producing the second effect stimulating a visual or tactile sense in the second mobile station, while maintaining said connection, using a second means of expression comprising at least one element selected from the group of a vibration unit, at least one light unit and the display, which is selected differently from the elements of the first means of expression, and wherein said second effect for stimulating a visual or tactile sense comprises a lighting effect or a vibration effect.

2. (Previously Presented) A method according to claim 1,

wherein step a) comprises establishing a two-way telephone connection between the first mobile station and the second mobile station,

wherein step b) comprises transmitting data compiled from sounds memory or graphic objects memory forming the first effect for stimulating a visual or auditory sense via the telephone connection

wherein step c) comprises transmitting data compiled from vibration effects memory, flash patterns memory or graphic objects memory forming the second effect for stimulating a visual, or tactile sense in a User-to-User Signaling (UUS) message associated with the telephone connection.

3. (Previously Presented) A method according to claim 1,

wherein step a) comprises establishing a text message connection between the first mobile station and the second mobile station, and

wherein steps b) and c) comprise transmitting data compiled from sounds memory, vibration effects memory, flash patterns memory or graphic objects memory forming the first and second effects in a text message.

4. (Previously Presented) A method according to claim 1, wherein steps b) and c) comprise transmitting data compiled from sounds memory, vibration effects memory, flash patterns memory or graphic objects memory forming the first and second effects in a MIDI (Musical Instrument Digital Interface) file.

5. (Cancelled)

6. (Previously Presented) A method according to claim 1, wherein the second effect transmitted in step c) further comprises a graphics effect presented on the display.

7. (Cancelled)

8. (Cancelled)

9. (Previously Presented) A method according to claim 1, wherein step e) comprises generating a plurality of second effects for stimulating visual or tactile senses at the same time in the mobile station to form an effect entity combined from effects stimulating visual or tactile senses.

10. (Previously Presented) A method according to claim 1, characterized in that the second effect for stimulating a visual or tactile sense is activated so as to be automatically presented by the second means of expression comprising of a vibration unit, light units or a display.

11. (Previously Presented) A method according to claim 1, wherein the second effect for stimulating a visual or tactile sense is activated so as to be presented by the second means of expression comprising of a vibration unit, light units or a display as a consequence of certain user action.

12. (Previously Presented) A method according to claim 1, wherein the second effect for stimulating a visual, auditory or tactile sense is activated so as to be presented by the second means of expression comprising of a vibration unit, light units or a display when a certain start instruction is activated.

13. (Previously Presented) A mobile station for presenting an effect stimulating visual, auditory or tactile sense to the user of the mobile station, which apparatus comprises:

means for establishing a connection between a first mobile station and second mobile station,

means for transferring via the connection established speech data or message data representing a first effect stimulating auditory or visual sense as a ringing command;

means for transferring or activating data compiled from vibration effects memory, flash patterns memory or graphic objects memory for producing a second effect

stimulating a visual or tactile sense by the same established connection using a signaling message associated therewith,

first means of expression comprising at least one element selected from the group of a loudspeaker and a display to present in the second mobile station, while maintaining said connection, the first effect stimulating auditory or visual sense, and

second means of expression comprising at least one element selected from the group of a vibration unit, at least one light unit and the display, which is selected different from the elements of the first means of expression, for producing in the second mobile station, while maintaining said connection, the second effect stimulating visual, auditory or tactile sense, wherein said second effect for stimulating a visual or tactile sense is at least a lighting effect or a vibration effect.

14. (Original) A mobile station according to claim 13, characterized in that it comprises a sounds unit, a sounds controller, and a sounds memory for controlling sound effects.

15. (Original) A mobile station according to claim 13, characterized in that it comprises a vibration unit, a vibrator controller, and a vibration effects memory for controlling vibration effects.

16. (Original) A mobile station according to claim 13, characterized in that it comprises light units, a lighting controller, and a flash patterns memory for controlling lighting effects.

17. (Original) A mobile station according to claim 13, characterized in that it comprises a display, a display controller, and a graphic objects memory for controlling visual effects.

18. (Previously Presented) A mobile station according to claim 13, characterized in that it comprises means of expression comprising of a loudspeaker, a sounds unit, a

vibration unit, light units or a display for presenting effects simultaneously as an effect entity combined from effects stimulating visual, auditory or tactile sense.

19. (Original) A mobile station according to claim 13, characterized in that it comprises means for downloading a MIDI file for accessing the effect entity.

20. (Original) A mobile station according to claim 13, characterized in that it comprises means for transmitting effects to be presented on a second mobile station.

21. (Original) A mobile station according to claim 20, characterized in that it comprises means for transmitting effects to a second mobile station as part of a text message.

22. (Previously Presented) A mobile station according to claim 20, characterized in that it comprises means for transmitting effects to a second mobile station during a telephone connection using a User-to-User Signaling (UUS) message associated with the telephone connection.

23. (Original) A mobile station according to claim 21, characterized in that the mobile station comprises means for activating effects automatically.

24. (Original) A mobile station according to claim 21, characterized in that the mobile station comprises means for activating effects as a consequence of user action.

25. (Original) A mobile station according to claim 23, characterized in that the mobile station comprises means for activating effects to be presented when a certain start instruction is activated.

26. (Previously Presented) A method according to claim 1, characterized in that in step c) data compiled from sounds memory, vibration effects memory, flash patterns memory or graphic objects memory for activating a second effect stimulating visual, auditory or tactile sense is transmitted via the same connection established.

27. (Previously Presented) A mobile station according to claim 14, characterized in that it comprises means for transmitting via the same connection established, data compiled

from sounds memory, vibration effects memory, flash patterns memory or graphic objects memory for activating a second effect stimulating visual, auditory or tactile sense.

28. (Previously Presented) A method according to claim 1, wherein said established connection is a voice call.

29. (Previously Presented) A mobile station according to claim 13, wherein said established connection is a voice call.

30. (Previously Presented) A method according to claim 6, wherein the graphics effect comprises an animation or an image.